TDMS No. 05174 - 06

Test Type: CHRONIC

Species/Strain: MICE/B6C3F1

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CRESOLS

CAS Number: 1319-77-3
Pathologist: BOYCE, J. - TOFT, J.

f1_M3_Females

C Number: C62260B

Lock Date: 01/21/2005

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Date Report Reqsted: 05/03/2006

Time Report Reqsted: 14:33:38 First Dose M/F: NA / 08/20/02

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 05/03/2006

Time Report Reqsted: 14:33:38 First Dose M/F: NA / 08/20/02

B6C3F1 MICE FEMALE	0 PPM	1000 PPM	3000 PPM	10000 PPM
Disposition Summary				
Animals Initially in Study	50	50	50	50
Early Deaths	50	50	50	50
Moribund Sacrifice	4	4		1
Natural Death	5	3	5	7
Survivors				
Terminal Sacrifice	41	43	44	42
Missing Animals Examined Microscopically	50	50	1 49	50
Animais Examined Microscopically	50	50	49	50
ALIMENTARY SYSTEM				
Esophagus	(50)	(50)	(49)	(50)
Gallbladder	(50)	(50)	(49)	(50)
Cyst	0.14.01	1 [4.0]	0.14.01	0.54.01
Infiltration Cellular, Lymphoid Inflammation, Chronic Active	6 [1.0]	10 [1.0]	6 [1.0]	9 [1.0]
Intestine Large, Colon	(49)	1 [3.0] (50)	(49)	(50)
Thrombosis	1 [2.0]	(30)	(43)	(50)
Intestine Large, Rectum	(49)	(50)	(49)	(50)
Intestine Small, Ileum	(50)	(50)	(49)	(50)
Intestine Small, Jejunum	(50)	(50)	(49)	(50)
Inflammation, Chronic Active		1 [4.0]	1 [4.0]	
Epithelium, Ulcer Peyer's Patch, Hyperplasia, Lymphoid		2 [4 0]	1 [4.0]	
Liver	(50)	2 [4.0] (50)	1 [4.0] (49)	(50)
Angiectasis	1 [2.0]	(30)	1 [4.0]	1 [4.0]
Atrophy	1 [4.0]	1 [1.0]	. [•]	. []
Basophilic Focus	3	1	3	1
Clear Cell Focus		1		1
Eosinophilic Focus	1	4 [4 0]	2	12
Hematopoietic Cell Proliferation Infiltration Cellular, Lymphoid	40 [1.1]	1 [1.0] 43 [1.1]	1 [1.0] 39 [1.0]	1 [2.0] 42 [1.1]
Inflammation, Chronic Active	43 [1.1]	43 [1.1] 44 [1.2]	43 [1.0]	42 [1.1] 43 [1.0]
Mixed Cell Focus	70 [1.1]	77 [1.2]		1
Pigmentation	2 [2.5]			•
Tension Lipidosis	8 [1.8]	3 [1.7]	6 [1.8]	8 [1.3]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 05/03/2006

Time Report Reqsted: 14:33:38 First Dose M/F: NA / 08/20/02

B6C3F1 MICE FEMALE	0 PPM	1000 PPM	3000 PPM	10000 РРМ	
Bile Duct, Cyst	1 [4.0]			1 [2.0]	
Bile Duct, Cyst, Multiple	4 [0 0]			1 [2.0]	
Centrilobular, Hepatocyte, Degeneration Hepatocyte, Necrosis	1 [2.0]	4 [2 0]	1 [2 0]		
Hepatocyte, Necrosis Hepatocyte, Vacuolization Cytoplasmic	1 [1.0]	1 [3.0]	1 [3.0]	4 [4 0]	
	3 [1.3]	4 [2.3]	1 [2.0]	1 [4.0]	
Mesentery Fat, Infiltration Cellular, Lymphoid	(6)	(3)	(5)	(5)	
Fat, Inflammation, Chronic Active		4 [4 0]		1 [4.0]	
Fat, Inhammation, Chronic Active	1 [4 0]	1 [4.0]	1 [4 0]	1 [4 0]	
Oral Mucosa	4 [4.0]	2 [4.0]	1 [4.0]	1 [4.0]	
Gingival, Foreign Body	(0)	(1) 1	(0)	(0)	
Gingival, Foleigh Body Gingival, Inflammation, Chronic Active		1 [1.0]			
Pancreas	(50)	(50)	(49)	(50)	
Basophilic Focus	(50)	(30)	(49) 1	(50) 1	
Infiltration Cellular, Lymphoid	21 [1.1]	23 [1.1]	25 [1.2]	24 [1.1]	
Inflammation, Chronic Active	1 [1.0]	3 [2.3]	25 [1.2]	24 [1.1]	
Polyarteritis	1 [1.0]	1 [2.0]			
Acinus, Atrophy	1 [4.0]	2 [2.5]	1 [1.0]		
Duct, Cyst	1 [4.0]	3 [3.3]	1 [4.0]	1 [2.0]	
Duct, Cyst, Multiple	1 [4 .0]	1 [4.0]	1 [4.0]	1 [2.0]	
Duct, Inflammation, Chronic Active		1 [3.0]			
Salivary Glands	(50)	(50)	(49)	(49)	
Infiltration Cellular, Lymphoid	34 [1.3]	36 [1.1]	34 [1.1]	21 [1.2]	
Stomach, Forestomach	(49)	(49)	(49)	(49)	
Epithelium, Hyperplasia	(10)	(10)	(10)	2 [1.5]	
Stomach, Glandular	(50)	(50)	(49)	(50)	
Mineralization	2 [1.5]	3 [1.0]	3 [1.0]	1 [1.0]	
Tooth	(2)	(0)	(2)	(0)	
Malformation	ì′	(-)	1	(-7	
CARDIOVASCULAR SYSTEM					
Blood Vessel	(50)	(50)	(49)	(50)	
Aorta, Mineralization	` '	1 [2.0]	` '	• •	
Heart	(50)	(50)	(49)	(50)	
Mineralization	2 [2.0]	1 [1.0]	, ,	1 [1.Ó]	
Polyarteritis	• •	1 [2.0]			
Valve, Inflammation, Chronic Active		1 [2.0]			

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

TDMS No. 05174 - 06

Test Type: CHRONIC

Species/Strain: MICE/B6C3F1

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Regsted: 05/03/2006

Time Report Regsted: 14:33:38 First Dose M/F: NA / 08/20/02

B6C3F1 MICE FEMALE	0 PPM	1000 PPM	3000 PPM	10000 PPM	
ENDOCRINE SYSTEM					
Adrenal Cortex	(49)	(50)	(49)	(50)	
Accessory Adrenal Cortical Nodule	1 [1.0]			1 [2.0]	
Hematopoietic Cell Proliferation		1 [2.0]			
Hypertrophy	1 [2.0]	1 [1.0]		1 [2.0]	
Infiltration Cellular, Lymphoid		0.54.51		1 [1.0]	
Vacuolization Cytoplasmic	40.50.01	2 [1.5]	40 [0 0]	1 [2.0]	
Subcapsular, Hyperplasia	48 [2.0]	50 [2.0]	48 [2.0]	50 [2.0]	
Adrenal Medulla	(49)	(50)	(49)	(50)	
Hyperplasia	3 [2.7]	(50)	(40)	1 [2.0]	
Islets, Pancreatic Parathyroid Gland	(50) (39)	(50) (44)	(49) (40)	(50)	
Cyst	1 [2.0]	1 [2.0]	(40)	(45)	
Cyst, Multiple	1 [2.0] 1 [2.0]	1 [2.0]			
Bilateral, Cyst	1 [2.0]	1 [2.0]	1 [2.0]		
Pituitary Gland	(50)	(50)	(49)	(50)	
Pars Distalis, Cyst, Multiple	1 [2.0]	(00)	(10)	(00)	
Pars Distalis, Hyperplasia	7 [2.0]	7 [1.6]	3 [1.7]	2 [1.5]	
Thyroid Gland	(48)	(48)	(49)	(50)	
Ectopic Thymus	(- /	1 [1.0]	1 [1.0]	2 [2.0]	
Infiltration Cellular, Lymphoid		1 [2.0]			
Inflammation, Chronic Active			2 [1.0]	3 [1.3]	
Polyarteritis		1 [2.0]			
Follicle, Cyst	1 [2.0]	1 [2.0]	2 [2.0]	3 [2.0]	
Follicle, Degeneration	7 [2.0]	24 [1.8]	24 [1.8]	21 [1.8]	
Follicular Cell, Hyperplasia	2 [1.0]			2 [2.0]	
GENERAL BODY SYSTEM					
None					
GENITAL SYSTEM					
Clitoral Gland	(49)	(49)	(49)	(50)	
Inflammation, Chronic Active	1 [3.0]	` '	1 [4.0]	,	
Ovary	(50)	(50)	(49)	(50)	
Angiectasis	1 [3.0]		, ,	1 [2.0]	
Atrophy	49 [3.9]	49 [3.9]	47 [3.9]	47 [3.9]	

a - Number of animals examined microscopically at site and number of animals with lesion b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Regsted: 05/03/2006

Time Report Reqsted: 14:33:38 First Dose M/F: NA / 08/20/02

B6C3F1 MICE FEMALE	0 PPM	1000 PPM	3000 PPM	10000 PPM	
Cyst	14 [2.9]	9 [2.3]	3 [3.3]	8 [2.9]	
Cyst, Multiple				1 [2.0]	
Hemorrhage	1 [4.0]				
Thrombosis	1 [4.0]				
Bilateral, Cyst	1 [3.0]	1 [4.0]		1 [3.0]	
Oviduct	(0)	(1)	(2)	(0)	
Uterus	(50)	(50)	(49)	(50)	
Inflammation, Suppurative	1 [2.0]		1 [3.0]		
Endometrium, Hyperplasia, Cystic	41 [2.6]	46 [2.4]	46 [2.5]	43 [2.6]	
EMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(49)	(50)	
Angiectasis	1 [2.0]		1 [2.0]	1 [3.0]	
Hyperplasia	1 [3.0]	6 [4.0]	5 [3.8]	2 [4.0]	
Myelofibrosis	23 [1.6]	33 [1.4]	18 [1.6]	25 [1.5]	
Lymph Node	(2)	(5)	(7)	(7)	
Bronchial, Hyperplasia, Lymphoid	1 [4.0]	1 [3.0]			
Iliac, Pigmentation		1 [2.0]			
Lumbar, Congestion				1 [2.0]	
Lumbar, Ectasia				1 [3.0]	
Mediastinal, Hyperplasia, Lymphoid			1 [4.0]	2 [3.5]	
Lymph Node, Mandibular	(49)	(50)	(49)	(49)	
Hyperplasia, Lymphoid	4 [4.0]	4 [3.8]	5 [3.6]	3 [2.7]	
Hyperplasia, Plasma Cell			1 [4.0]		
Lymph Node, Mesenteric	(48)	(50)	(48)	(49)	
Hyperplasia, Lymphoid	4 [3.8]		1 [4.0]	7 [2.7]	
Hyperplasia, Plasma Cell	1 [3.0]	(==)	(42)	2 [3.5]	
Spleen	(48)	(50)	(49)	(50)	
Atrophy	1 [4.0]	1 [4.0]			
Hematopoietic Cell Proliferation	7 [2.9]	6 [3.5]	4 [3.0]	6 [3.3]	
Lymphoid Follicle, Hyperplasia	14 [2.0]	13 [2.0]	16 [2.6]	12 [2.8]	
Thymus	(50)	(49)	(49)	(50)	
Ectopic Parathyroid Gland	8 [1.5]	10 [1.3]	6 [1.5]	4 [1.8]	
Hyperplasia, Lymphoid	2 [3.0]			5 [3.0]	
ITEGUMENTARY SYSTEM					
Mammary Gland	(49)	(50)	(49)	(50)	

a - Number of animals examined microscopically at site and number of animals with lesion b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Regsted: 05/03/2006

Time Report Reqsted: 14:33:38 First Dose M/F: NA / 08/20/02

B6C3F1 MICE FEMALE	0 PPM	1000 PPM	3000 PPM	10000 PPM	
Hyperplasia Duct, Dilatation Skin Cyst Epithelial Inclusion	(49)	1 [2.0] (50) 1	1 [2.0] 1 [2.0] (49)	1 [2.0] (50)	
MUSCULOSKELETAL SYSTEM					
Bone Osteopetrosis Skeletal Muscle Infiltration Cellular, Lymphoid	(50) (0)	(50) (2) 1 [2.0]	(49) (2) 1 [2.0]	(50) 1 [3.0] (1)	
NERVOUS SYSTEM					
Brain Hydrocephalus Infiltration Cellular, Lymphoid Neuron, Necrosis	(50) 1 [1.0] 1 [1.0]	(50) 2 [3.0] 2 [1.5]	(49) 1 [2.0]	(50)	
RESPIRATORY SYSTEM					
Larynx Lung Hemorrhage Infiltration Cellular, Lymphoid Infiltration Cellular, Polymorphonuclear	(0) (50) 1 [3.0]	(1) (50) 1 [4.0]	(0) (49) 2 [2.0]	(1) (50) 1 [3.0]	
Alveolar Epithelium, Hyperplasia Alveolus, Infiltration Cellular, Histiocyte Bronchiole, Hyperplasia Nose	(50)	1 [2.0] 42 [1.0] (50)	1 [3.0] 44 [2.0] (49)	3 [2.7] 1 [4.0] 47 [3.0] (49)	
Edema Inflammation, Chronic Active Glands, Respiratory Epithelium, Dilatation	1 [1.0]	1 [3.0]		1 [3.0] 1 [2.0] 1 [3.0]	
Glands, Respiratory Epithelium, Hyperplasia	6 [1.2]	5 [1.0]	8 [1.0]	10 [1.1]	
Nasolacrimal Duct, Inflammation, Suppurative	2 [3.0]	1 [2.0]	2 [2.0]		

a - Number of animals examined microscopically at site and number of animals with lesion b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

TDMS No. 05174 - 06

Test Type: CHRONIC

Species/Strain: MICE/B6C3F1

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Regsted: 05/03/2006

Time Report Reqsted: 14:33:38 First Dose M/F: NA / 08/20/02

B6C3F1 MICE FEMALE	0 PPM	1000 PPM	3000 PPM	10000 PPM	
Olfactory Epithelium, Degeneration Respiratory Epithelium, Degeneration Respiratory Epithelium, Hyperplasia Respiratory Epithelium, Metaplasia, Squamous			28 [1.3]	1 [2.0] 1 [2.0] 45 [2.2] 2 [2.0]	
Pleura Trachea	(0) (50)	(1) (50)	(0) (49)	(0) (50)	
SPECIAL SENSES SYSTEM					
Eye Atrophy	(50)	(50) 1 [4.0]	(49)	(50)	
Harderian Gland	(50)	(50)	(48)	(50)	
Hyperplasia Infiltration Cellular, Lymphoid Inflammation, Chronic Active	1 [2.0] 30 [1.2]	1 [2.0] 30 [1.0] 1 [4.0]	2 [2.0] 35 [1.1]	34 [1.2]	
JRINARY SYSTEM					
Kidney Amyloid Deposition Atrophy	(50)	(50) 1 [3.0]	(49)	(50) 1 [4.0]	
Casts Protein Infarct Infiltration Cellular, Lymphoid Metaplasia, Osseous Mineralization Nephropathy Cortex, Cyst Renal Tubule, Accumulation, Hyaline	29 [1.0] 2 [3.5] 43 [1.2] 2 [1.0] 2 [1.0] 14 [1.1]	25 [1.0] 2 [2.5] 47 [1.0] 4 [1.8] 8 [1.1] 14 [1.1]	19 [1.0] 1 [2.0] 43 [1.2] 4 [1.8] 3 [1.3] 11 [1.0]	25 [1.1] 3 [2.7] 44 [1.2] 2 [1.5] 3 [1.0] 19 [1.1] 1 [1.0] 1 [4.0]	
Droplet Renal Tubule, Pigmentation Urinary Bladder Infiltration Cellular, Lymphoid	(50) 36 [1.4]	(50) 35 [1.1]	(49) 43 [1.2]	1 [4.0] (50) 42 [1.3]	

^{***} END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)